

Safety data sheet This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

## **ASEVI CIAN FLOOR CLEANER**

SEC	TION 1: IDENTIFICATION OF IF	E SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING				
1.1	Product identifier:	ASEVI CIAN FLOOR CLEANER				
	Other means of identification:					
	Non-applicable					
1.2	Relevant identified uses of the	substance or mixture and uses advised against:				
	Relevant uses: Floor cleaner					
	Uses advised against: All uses not s	pecified in this section or in section 7.3				
1.3	Details of the supplier of the safety data sheet:					
	Pons Químicas, S.L. Ctra. de Gata, 143 03730 Xàbia - Alacant - Spain Phone: +34966454200 - Fax: +3496 ponsquimicas@ponsquimicas.es www.ponsquimicas.com	56454306				
1.4	Emergency telephone number:	Toxicology Information Service (National Institute of Toxicology and Forensic Sciences) Phone: 91 562 04 20 Information in Spanish (24h/365 days). Only for the purpose of providing health response in emergencies. Company: Pons Químicas, SL Phone: 96 645 42 00 (working hours)				

### SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Eye Irrit. 2: Eye irritation, Category 2, H319

### 2.2 Label elements:

#### CLP Regulation (EC) No 1272/2008:



# Hazard statements:

Eye Irrit. 2: H319 - Causes serious eye irritation.

#### **Precautionary statements:**

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

#### Supplementary information:

EUH208: Contains 1,2-benzisothiazol-3(2H)-one, Cineole, Citral, d-limonene, Linalyl acetate , reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

## 2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\*

#### 3.1 Substance:

Non-applicable

3.2 Mixture:

Chemical description: Mixture of substances

\*\* Changes with regards to the previous version



#### Safety data sheet This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

## **ASEVI CIAN FLOOR CLEANER**

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS \*\* (continued)

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration	
CAS:	69011-36-5	Isotridecanol, ethoxylated 8 mol EO <sup>(1)</sup> Self-classified			
EC: 500-241-6 Index: Non-applicable REACH: 01-2119976362-32- XXXX		Regulation 1272/2008	Eye Dam. 1: H318 - Danger	1,5 - <2 %	
CAS:	5989-27-5	d-limonene <sup>(1)</sup>	Self-classified		
EC: 227-813-5 Index: 601-029-00-7 REACH: 01-211952922 XXXX	601-029-00-7	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	<1 %	
CAS:	115-95-7	Linalyl acetate (1)	Self-classified		
EC: 204-116-4 Index: Non-applicab REACH: 01-21194547 XXXX	Non-applicable 01-2119454789-19-	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	<1 %	
CAS: 470-82-6 EC: 207-431-5 Index: Non-applicable REACH: 01-2119967772-24- XXXX		Cineole <sup>(1)</sup> Self-classified			
	Regulation 1272/2008	Flam. Liq. 3: H226; Skin Sens. 1B: H317 - Warning	<1 %		
CAS: 5392-40-5		Citral <sup>(1)</sup>	Self-classified		
EC: 2 Index: 6 REACH: 0	Index: REACH:	226-394-6 605-019-00-3 01-2119462829-23- XXXX	Regulation 1272/2008	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	<1 %
CAS:	2634-33-5	1,2-benzisothiazol-3	(2H)-one <sup>(1)</sup> ATP CLP00		
Index: REACH:	220-120-9 613-088-00-6 01-2120761540-60- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Eye Dam. 1: H318; Skin Irrit. 2: H315; 🔅 🔅	<1 %	
CAS: EC:	55965-84-9 Non-applicable	reaction mass of 5-c 3-one (3:1) <sup>(1)</sup>	hloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol- ATP ATP13		
Index: REACH:	613-167-00-5 Non-applicable	Regulation 1272/2008	Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger	<1 %	

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2015/830

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

#### Other information:

Identification			M-factor	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			100	
CAS: 55965-84-9 EC: Non-applicable			100	
Identification	Spec	ific concentrat	ion limit	
Isotridecanol, ethoxylated 8 mol EO CAS: 69011-36-5 EC: 500-241-6	% (w/w) >=10: Eye Dam. 1 1<= % (w/w) <10: Eye Irrit			
1,2-benzisothiazol-3(2H)-one CAS: 2634-33-5 EC: 220-120-9	% (w/w) >=0,05: Skin Sens	. 1 - H317		
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	% (w/w) >=0,6: Skin Corr. 1 0,06<= % (w/w) <0,6: Skin % (w/w) >=0,6: Eye Dam. 1 0,06<= % (w/w) <0,6: Eye % (w/w) >=0,0015: Skin Se	Irrit. 2 - H315 1 - H318 Irrit. 2 - H319	;	

\*\* Changes with regards to the previous version

## SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product. **By inhalation:** 



## SECTION 4: FIRST AID MEASURES (continued)

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

## By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

#### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

## 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

## SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

### Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

#### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures:

## For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Destroy any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

## For emergency responders:

See section 8.

## 6.2 Environmental precautions:



## SECTION 6: ACCIDENTAL RELEASE MEASURES (continued)

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

## 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:5 °CMaximum Temp.:30 °CMaximum time:60 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no occupational exposure limits for the substances contained in the product

#### DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Isotridecanol, ethoxylated 8 mol EO	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 69011-36-5	Dermal	Non-applicable	Non-applicable	2080 mg/kg	Non-applicable
EC: 500-241-6	Inhalation	Non-applicable	Non-applicable	294 mg/m <sup>3</sup>	Non-applicable
d-limonene	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	9,5 mg/kg	Non-applicable
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	66,7 mg/m³	Non-applicable



## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Linalyl acetate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	2,5 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	2,75 mg/m <sup>3</sup>	Non-applicable
Cineole	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 470-82-6	Dermal	Non-applicable	Non-applicable	2 mg/kg	Non-applicable
EC: 207-431-5	Inhalation	Non-applicable	Non-applicable	7,05 mg/m <sup>3</sup>	Non-applicable
Citral	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 5392-40-5	Dermal	Non-applicable	Non-applicable	1,7 mg/kg	Non-applicable
EC: 226-394-6	Inhalation	Non-applicable	Non-applicable	9 mg/m <sup>3</sup>	Non-applicable
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,966 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	6,81 mg/m³	Non-applicable

### DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Isotridecanol, ethoxylated 8 mol EO	Oral	Non-applicable	Non-applicable	25 mg/kg	Non-applicable
CAS: 69011-36-5	Dermal	Non-applicable	Non-applicable	1250 mg/kg	Non-applicable
EC: 500-241-6	Inhalation	Non-applicable	Non-applicable	87 mg/m <sup>3</sup>	Non-applicable
d-limonene	Oral	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
CAS: 5989-27-5	Dermal	Non-applicable	Non-applicable	4,8 mg/kg	Non-applicable
EC: 227-813-5	Inhalation	Non-applicable	Non-applicable	16,6 mg/m <sup>3</sup>	Non-applicable
Linalyl acetate	Oral	Non-applicable	Non-applicable	0,2 mg/kg	Non-applicable
CAS: 115-95-7	Dermal	Non-applicable	Non-applicable	1,25 mg/kg	Non-applicable
EC: 204-116-4	Inhalation	Non-applicable	Non-applicable	0,68 mg/m <sup>3</sup>	Non-applicable
Cineole	Oral	Non-applicable	Non-applicable	600 mg/kg	Non-applicable
CAS: 470-82-6	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 207-431-5	Inhalation	Non-applicable	Non-applicable	1,74 mg/m <sup>3</sup>	Non-applicable
Citral	Oral	Non-applicable	Non-applicable	0,6 mg/kg	Non-applicable
CAS: 5392-40-5	Dermal	Non-applicable	Non-applicable	1 mg/kg	Non-applicable
EC: 226-394-6	Inhalation	Non-applicable	Non-applicable	2,7 mg/m <sup>3</sup>	Non-applicable
1,2-benzisothiazol-3(2H)-one	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2634-33-5	Dermal	Non-applicable	Non-applicable	0,345 mg/kg	Non-applicable
EC: 220-120-9	Inhalation	Non-applicable	Non-applicable	1,2 mg/m <sup>3</sup>	Non-applicable

PNEC:

Identification				
Isotridecanol, ethoxylated 8 mol EO	STP	1,4 mg/L	Fresh water	0,074 mg/L
CAS: 69011-36-5	Soil	0,1 mg/kg	Marine water	0,007 mg/L
EC: 500-241-6	Intermittent	0,015 mg/L	Sediment (Fresh water)	0,604 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,06 mg/kg
d-limonene	STP	1,8 mg/L	Fresh water	0,014 mg/L
CAS: 5989-27-5	Soil	0,763 mg/kg	Marine water	0,0014 mg/L
EC: 227-813-5	Intermittent	Non-applicable	Sediment (Fresh water)	3,85 mg/kg
	Oral	0,133 g/kg	Sediment (Marine water)	0,385 mg/kg
Linalyl acetate	STP	1 mg/L	Fresh water	0,011 mg/L
CAS: 115-95-7	Soil	0,115 mg/kg	Marine water	0,001 mg/L
EC: 204-116-4	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,061 mg/kg
Cineole	STP	10 mg/L	Fresh water	0,057 mg/L
CAS: 470-82-6	Soil	0,25 mg/kg	Marine water	0,0057 mg/L
EC: 207-431-5	Intermittent	0,57 mg/L	Sediment (Fresh water)	1,425 mg/kg
	Oral	0,04 g/kg	Sediment (Marine water)	0,142 mg/kg



## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
Citral	STP	1,6 mg/L	Fresh water	0,007 mg/L
CAS: 5392-40-5	Soil	0,021 mg/kg	Marine water	0,001 mg/L
EC: 226-394-6	Intermittent	0,068 mg/L	Sediment (Fresh water)	0,125 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,013 mg/kg
1,2-benzisothiazol-3(2H)-one	STP	1,03 mg/L	Fresh water	0,00403 mg/L
CAS: 2634-33-5	Soil	3 mg/kg	Marine water	0,000403 mg/L
EC: 220-120-9	Intermittent	0,0011 mg/L	Sediment (Fresh water)	0,0499 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00499 mg/kg

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

Non-applicable

D.- Ocular and facial protection

Non-applicable

- E.- Body protection
  - Non-applicable
- F.- Additional emergency measures

It is not necessary to take additional emergency measures.

#### **Environmental exposure controls:**

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

## Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	0,95 % weight
V.O.C. density at 20 °C:	0,01 kg/m <sup>3</sup> (0,01 g/L)
Average carbon number:	9,89
Average molecular weight:	145,27 g/mol

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:						
Physical state at 20 °C:	Liquid					
Appearance:	Opaque					
Colour:	White					
Odour:	Characteristic					
Odour threshold: Non-applicable *						
Volatility:						
Boiling point at atmospheric pressure:	101 °C					
*Not relevant due to the nature of the product, not providing information property of its hazards.						

Safety data sheet This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

## **ASEVI CIAN FLOOR CLEANER**

Vapour pressure at 20 °C:2342 PaVapour pressure at 50 °C:12341,9 Pa (12,34 kPa)Evaporation rate at 20 °C:Non-applicable *Product description:1 - 1 kg/m³Density at 20 °C:0,99 - 1,01Relative density at 20 °C:Non-applicable *Dynamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 40 °C:Non-applicable *Ph:7 - 9 (at 100 %)Vapour density at 20 °C:Non-applicable *Ph:7 - 9 (at 100 %)Vapour density at 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *
Evaporation rate at 20 °C:Non-applicable *Product description:Density at 20 °C:1 - 1 kg/m³Relative density at 20 °C:0,99 - 1,01Dynamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Foncentration:Non-applicable *pH:7 - 9 (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *
Product description:Density at 20 °C:1 - 1 kg/m³Relative density at 20 °C:0,99 - 1,01Dynamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 40 °C:Non-applicable *Concentration:Non-applicable *pH:7 - 9 (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *
Density at 20 °C:1 - 1 kg/m³Relative density at 20 °C:0,99 - 1,01Dynamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 40 °C:Non-applicable *Concentration:Non-applicable *pH:7 - 9 (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *
Relative density at 20 °C:0,99 - 1,01Dynamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 40 °C:Non-applicable *Concentration:Non-applicable *pH:7 - 9 (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Non-applicable *Non-app
Dynamic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 40 °C:Non-applicable *Concentration:Non-applicable *pH:7 - 9 (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *
Kinematic viscosity at 20 °C:Non-applicable *Kinematic viscosity at 40 °C:Non-applicable *Concentration:Non-applicable *pH:7 - 9 (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *Non-applicable *Non-applicable *
Kinematic viscosity at 40 °C:Non-applicable *Concentration:Non-applicable *pH:7 - 9 (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *
Concentration:Non-applicable *pH:7 - 9 (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *
pH:7 - 9 (at 100 %)Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *
Vapour density at 20 °C:Non-applicable *Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *
Partition coefficient n-octanol/water 20 °C:Non-applicable *Solubility in water at 20 °C:Non-applicable *
Solubility in water at 20 °C: Non-applicable *
Solubility properties: Non-applicable *
Decomposition temperature: Non-applicable *
Melting point/freezing point: Non-applicable *
Flammability:
Flash Point: Non Flammable (>60 °C)
Flammability (solid, gas): Non-applicable *
Autoignition temperature: 220 °C
Lower flammability limit: Non-applicable *
Upper flammability limit: Non-applicable *
Particle characteristics:
Median equivalent diameter: Non-applicable
9.2 Other information:
Information with regard to physical hazard classes:
Explosive properties: Non-applicable *
Oxidising properties: Non-applicable *
Corrosive to metals: Non-applicable *
Heat of combustion: Non-applicable *
Aerosols-total percentage (by mass) of flammable Non-applicable * components:
Other safety characteristics:
Surface tension at 20 °C: Non-applicable *
Refraction index: Non-applicable *
*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 1	0. CTARII ITV	AND REACTIVITY	
SECTION 1	U. STADILIT		

## 10.1 Reactivity:

Ud. y de su

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

### 10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:



#### SECTION 10: STABILITY AND REACTIVITY (continued)

#### Applicable for handling and storage at room temperature:

	Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
	Not applicable	Not applicable	Precaution	Precaution	Not applicable
10.5	Incompatible materials	:			

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

#### **10.6** Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION \*\*

#### 11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for skin contact. For more information see section 3.

- Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

IARC: d-limonene (3); 7-methyl-3-methyleneocta-1,6-diene (2B); Eugenol (3); Coumarin (3); Benzyl acetate (3); 2,6-di-tertbutyl-p-cresol (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.

- Cutaneous: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

\*\* Changes with regards to the previous version



 $Safety \ data \ sheet$  This SDS is an English translation of Regulation (EU) nº 2015/830, without any country-specific legislation

## **ASEVI CIAN FLOOR CLEANER**

## SECTION 11: TOXICOLOGICAL INFORMATION \*\* (continued)

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
- it does not contain substances classified as dangerous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as
- dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as dangerous for this effect. For more information see section 3.

#### **Other information:**

Non-applicable

#### Specific toxicology information on the substances:

Identification	Acut	te toxicity	Genus
d-limonene	LD50 oral	4400 mg/kg	Rat
CAS: 5989-27-5	LD50 dermal	>5000 mg/kg	Rabbit
EC: 227-813-5	LC50 inhalation	Non-applicable	
Linalyl acetate	LD50 oral	14500 mg/kg	Rat
CAS: 115-95-7	LD50 dermal	5610 mg/kg	Rabbit
EC: 204-116-4	LC50 inhalation	Non-applicable	
Cineole	LD50 oral	2480 mg/kg	Rat
CAS: 470-82-6	LD50 dermal	Non-applicable	
EC: 207-431-5	LC50 inhalation	Non-applicable	
Citral	LD50 oral	4950 mg/kg	Rat
CAS: 5392-40-5	LD50 dermal	2250 mg/kg	Rabbit
EC: 226-394-6	LC50 inhalation	Non-applicable	
1,2-benzisothiazol-3(2H)-one	LD50 oral	500 mg/kg	Rat
CAS: 2634-33-5	LD50 dermal	Non-applicable	
EC: 220-120-9	LC50 inhalation	Non-applicable	
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	LD50 oral	64 mg/kg	Rat
CAS: 55965-84-9	LD50 dermal	87,12 mg/kg	Rabbit
EC: Non-applicable	LC50 inhalation	0,33 mg/L (4 h)	Rat

\*\* Changes with regards to the previous version

## SECTION 12: ECOLOGICAL INFORMATION \*\*

The experimental information related to the eco-toxicological properties of the product itself is not available

\*\* Changes with regards to the previous version



## SECTION 12: ECOLOGICAL INFORMATION \*\* (continued)

## 12.1 Toxicity:

#### Acute toxicity:

Identification		Concentration	Species	Genus
d-limonene	LC50	0,702 mg/L (96 h)	Pimephales promelas	Fish
CAS: 5989-27-5	EC50	0,577 mg/L (48 h)	Daphnia magna	Crustacean
EC: 227-813-5	EC50	Non-applicable		
Linalyl acetate	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
CAS: 115-95-7	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean
EC: 204-116-4	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae
Citral	LC50	6,1 mg/L (24 h)	Oryzias latipes	Fish
CAS: 5392-40-5	EC50	11 mg/L (24 h)	Daphnia magna	Crustacean
EC: 226-394-6	EC50	16 mg/L (72 h)	Scenedesmus subspicatus	Algae
1,2-benzisothiazol-3(2H)-one	LC50	>0.1 - 1 (96 h)		Fish
CAS: 2634-33-5	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 220-120-9	EC50	>0.1 - 1 (72 h)		Algae
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	LC50	>0.1 - 1 (96 h)		Fish
CAS: 55965-84-9	EC50	>0.1 - 1 (48 h)		Crustacean
EC: Non-applicable	EC50	>0.1 - 1 (72 h)		Algae

## 12.2 Persistence and degradability:

Identification	De	gradability	Biode	gradability
d-limonene	BOD5	Non-applicable	Concentration	10 mg/L
CAS: 5989-27-5	COD	Non-applicable	Period	28 days
EC: 227-813-5	BOD5/COD	Non-applicable	% Biodegradable	71,4 %
Linalyl acetate	BOD5	Non-applicable	Concentration	81 mg/L
CAS: 115-95-7	COD	Non-applicable	Period	28 days
EC: 204-116-4	BOD5/COD	Non-applicable	% Biodegradable	80 %
Citral	BOD5	0,56 g O2/g	Concentration	100 mg/L
CAS: 5392-40-5	COD	1,99 g O2/g	Period	28 days
EC: 226-394-6	BOD5/COD	0,28	% Biodegradable	92 %
1,2-benzisothiazol-3(2H)-one	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 2634-33-5	COD	Non-applicable	Period	28 days
EC: 220-120-9	BOD5/COD	Non-applicable	% Biodegradable	0 %

\*\* Changes with regards to the previous version



## SECTION 12: ECOLOGICAL INFORMATION \*\* (continued)

Identification		Bioaccumulation potential	
d-limonene	BCF	660	
CAS: 5989-27-5	Pow Log	4.83	
EC: 227-813-5	Potential	High	
Linalyl acetate	BCF	174	
CAS: 115-95-7	Pow Log	3.9	
EC: 204-116-4	Potential	High	
Cineole	BCF		
CAS: 470-82-6	Pow Log	2.74	
EC: 207-431-5	Potential		
Citral	BCF	10	
CAS: 5392-40-5	Pow Log	3.45	
EC: 226-394-6	Potential	Low	
1,2-benzisothiazol-3(2H)-one	BCF	2	
CAS: 2634-33-5	Pow Log	1.45	
EC: 220-120-9	Potential	Low	

### 12.4 Mobility in soil:

Identification	Absorpt	ion/desorption	Volatility	
d-limonene	Кос	6324	Henry	Non-applicable
CAS: 5989-27-5	Conclusion	Immobile	Dry soil	Non-applicable
EC: 227-813-5	Surface tension	2,675E-2 N/m (25 °C)	Moist soil	Non-applicable
Linalyl acetate	Кос	518	Henry	177 Pa·m <sup>3</sup> /mol
CAS: 115-95-7	Conclusion	Low	Dry soil	Yes
EC: 204-116-4	Surface tension	Non-applicable	Moist soil	Yes
Cineole	Кос	Non-applicable	Henry	Non-applicable
CAS: 470-82-6	Conclusion	Non-applicable	Dry soil	Non-applicable
EC: 207-431-5	Surface tension	3,24E-2 N/m (25 °C)	Moist soil	Non-applicable

## 12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

## 12.6 Other adverse effects:

Not described

\*\* Changes with regards to the previous version

## SECTION 13: DISPOSAL CONSIDERATIONS

**13.1 Waste treatment methods:** 



## SECTION 13: DISPOSAL CONSIDERATIONS (continued)

Code	Description	Waste class (Regulation (EU) No 1357/2014)
20 01 30	detergents other than those mentioned in 20 01 29	Non dangerous

#### Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

## SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: 1,2-benzisothiazol-3(2H)-one (Product-type 2, 6, 9, 11, 12, 13) ; reaction mass of 5chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13) ; Geraniol (Product -type 18, 19)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

#### Regulation (EC) No 648/2004 on detergents:

In accordance with this regulation the product complies with the following:

The tensoactives contained in this mixture comply with the biodegradibility criteria stipulated in Regulation (EC) nº648/2004 on detergents. The information to prove this is available to the relevant authorities of the Member States and will be shown to them by direct request or the request of a detergent manufacturer.

#### Labelling for contents:

Component	Concentration interval
Non-ionic surfactants	% (w/w) < 5
perfumes	

Allergenic fragrances: 2-(4-tert-Butylbenzyl)propionaldehyde, Lysmeral extra (BUTYLPHENYL METHYLPROPIONAL), Citral (CITRAL), d-limonene (LIMONENE), Geraniol (GERANIOL), Hexyl cinnam-aldehyde (HEXYL CINNAMAL), Linalool (LINALOOL). Preservation agents: 1,2-benzisothiazol-3(2H)-one (BENZISOTHIAZOLINONE), reaction mass of 5-chloro-2-methyl-2H-isothiazol-3 -one and 2-methyl-2H-isothiazol-3-one (3:1) (METHYLCHLOROISOTHIAZOLINONE / METHYLISOTHIAZOLINONE).

## Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

—ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.



#### SECTION 15: REGULATORY INFORMATION (continued)

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

- Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products
- Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents
- Commission Regulation (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII
- Commission Regulation (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation)

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

## SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830).

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

- New declared substances
  - 1,2-benzisothiazol-3(2H)-one (2634-33-5)
- reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- · Substances contained in EUH208:
  - New declared substances
  - 1,2-benzisothiazol-3(2H)-one (2634-33-5)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

#### Texts of the legislative phrases mentioned in section 2:

#### H319: Causes serious eye irritation.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Eye Dam. 1: H318 - Causes serious eye damage. Éve Irrit. 2: H319 - Causes serious eye irritation. Flam. Lig. 3: H226 - Flammable liquid and vapour. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Skin Sens. 1A: H317 - May cause an allergic skin reaction. Skin Sens. 1B: H317 - May cause an allergic skin reaction. **Classification procedure:** Eye Irrit. 2: Calculation method Advice related to training: Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:



## SECTION 16: OTHER INFORMATION (continued)

http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms: ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.